

## **PIC K150 ICSP Programmer:**

### **Supported PIC Microcontroller Models**

#### 10 Series:

PIC10F200 \* PIC10F202 \* PIC10F204 \* PIC10F206 \*

PIC10F220 \* PIC10F222 \*

#### 12C series:

PIC12C508 PIC12C508A PIC12C509 PIC12C509A

PIC12C671 PIC12C672 PIC12CE518 PIC12CE519

PIC12CE673 PIC12CE674

#### 12F Series:

PIC12F509 PIC12F629 PIC12F635

PIC12F675 PIC12F683

#### 16C Series:

PIC16C505 PIC16C554 PIC16C558 PIC16C61

PIC16C62 PIC16C62A PIC16C62B PIC16C63

PIC16C63A PIC 16C64 PIC16C64A PIC16C65

PIC16C65A PIC16C65B PIC16C66 PIC16C66A

PIC16C67 PIC16C620 PIC16C620A PIC16C621

PIC16C621A PIC16C622 PIC16C622A PIC16C71

PIC16C71A PIC16C72 PIC16C72A PIC16C73

PIC16C73A PIC16C73B PIC16C74 PIC16C74A  
PIC16C74B PIC16C76 PIC16C77 PIC16C710  
PIC16C711 PIC16C712 PIC16C716 PIC16C745  
PIC16C765 PIC16C773 PIC16C774 PIC16C83  
PIC16C84

16F Series:

PIC16F505 PIC16F506 PIC16F54 PIC16F57 \*  
PIC16F59 \* PIC16F627 PIC16LF627A PIC16F627A  
PIC16F628 PIC16LF628A PIC16F628A PIC16F630  
PIC16F631 PIC16F631-1 PIC16F636 PIC16F636-1  
PIC16F639 \* PIC16F639-1 \* PIC16F648A PIC16F676  
PIC16F677 PIC16F677-1 PIC16F684 PIC16F685 \*  
PIC16F685-1 \* PIC16F687 \* PIC16F687 \* -1 PIC16F688  
PIC16F689 \* PIC16F689-1 \* PIC16F690 \* PIC16F690-1 \*  
PIC16F72 PIC16F73 PIC16F74  
PIC16F76 PIC16F77 PIC16F737 PIC16F747  
PIC16F767 PIC16F777 PIC16F83 PIC16F84  
PIC16F84A PIC16F87 PIC16F88 PIC16F818  
PIC16F819 PIC16F870 PIC16F871 PIC16F872  
PIC16F873 PIC16F873A PIC16LF873A PIC16F874  
PIC16F874A PIC16F876 PIC16F876A PIC16F877  
PIC16F877A

18 Series:

PIC18F242 PIC18F248 PIC18F252 PIC18F258 PIC18F442 PIC18F448

PIC18F452 PIC18F458 PIC18F1220 PIC18F1320 PIC18F2220

PIC18F2320

PIC18F2321 PIC18F4210 PIC18F2331 PIC18F2450 PIC18F2455

PIC18F2480

PIC18F2510 PIC18F2515 PIC18F2520 PIC18F2550 PIC18F2580

PIC18F2585 PIC18F2610 PIC18F2620 PIC18F2680 PIC18F4220

PIC18F4320

PIC18F6525 PIC18F6621 PIC18F8525 PIC18F8621 PIC18F2331

PIC18F2431

PIC18F4331 PIC18F4431 PIC18F2455 PIC18F2550 PIC18F4455

PIC18F4580 PIC18F2580 PIC18F2420 PIC18F2520 PIC18F2620

PIC18F6520 PIC18F6620 PIC18F6720 PIC18F6585 PIC18F6680

PIC18F8585 PIC18F8680

K150 is a low-cost high-performance PIC programmer

Support most popular PIC chips, programmed, read out, encryption

Use a high-speed USB communication,

Fast programming

The programming quality is stable and reliable.

(Speed average 3-5 times PICSTART +)

fully automatic programming checksum

equipped with 40pin DIP programming Block

Direct programming of 8pin-40pin DIP chip; 8pin-40 pin chip other than through the onboard the ICSP interface online download software

software-compatible the Windows98 and Windows2000/NT, Windows XP/windows7,8,10 operating system

New device with the PIC escalating. Master chip retains DIP package with seat!



AYATIL